

VILLAGE OF MANORHAVEN BUILDING DEPARTMENT
33 Manorhaven Blvd., Port Washington, N. Y. 11050

BUILD PERMIT # _____

APP BY _____

Date _____

PLUMBING PERMIT SECTION 4 Block Lots _____

Owners Name _____ Property Address _____

Owners Home Phone _____ Owners Business Phone _____

Plumbers Name _____ Phone _____

Plumbers Address _____ License # _____

General Contractors Name _____ Phone _____

Type of Action: New Plumbing _____ Plumbing repair _____ Gas Service _____ Gas furnace _____

Gas boiler _____ Gas water heater _____ Gas Clothes dryer _____ Gas cook top _____ New Oil tank _____

Replace Oil tank _____ Oil furnace _____ Oil Burner _____ Oil hot water heater _____

Water meter _____ New water service _____ Water service repair _____ New Sewer service _____

Sewer service repair _____ Dry wells _____

Disconnect: Road Opening _____ Water service _____ Sewer Service _____

Is workers comp and liability insurance current? _____

STATE PROPOSED WORK IN DETAIL _____

Description	Fee	NUMBER OF FIXTURES	Date
Filing Fee			
Plumbing fee			
Gas fee			
Road opening			
Certificate of Approval			
Total Additional			
Total Fees			

PLEASE follow the specifications found in Chapter 132-1(D) when repairing the road opening.
PLEASE submit a self-certification that the road was repaired according to Village specifications.

NAME (LICENSED PLUMBER): _____

DATE: _____

CONNECTION TYPE:

- CONNECTION TO EXISTING MAIN
- CONNECTION TO EXISTING BUILDING LATERAL

SERVICE PIPE MATERIAL:

- 5" EXTRA HEAVY CAST IRON
- 6" CLASS 53 DUCTILE IRON
- 6" PVC DR-18

DEPTH OF SERVICE PIPE AT HOUSE: _____

DEPTH OF SERVICE PIPE AT CONNECTION: _____


SERVICE PIPE SLOPE: _____

SEWER MAIN SIZE/MATERIAL: _____
REFER TO DISTRICT SPECIFICATIONS/ILLUSTRATIONS.


PROPERTY INFORMATION:

ADDRESS:

BUILDING OUTLINE



CURB



DIRECTIONS: SKETCH NEW SANITARY SERVICE PIPE (BUILDING LATERAL) ROUTE FROM THE BUILDING TO THE PROPOSED CONNECTION POINT. INDICATE LENGTH/SIZE OF NEW PIPING AND ANY FITTINGS, COUPLINGS, ETC. REQUIRED. INCLUDE LOCATION OF WATER SERVICE AND DISTANCE FROM PROPOSED SANITARY SERVICE PIPE TO WATER SERVICE.

EXISTING SEWER MAIN
EXISTING SEWER MANHOLE

PORT WASHINGTON WATER POLLUTION CONTROL DISTRICT

SCALE: N.T.S.

PROPOSED SANITARY SERVICE CONNECTION SKETCH

D&B NO. 0279

AUGUST 2016

Chapter 132. Streets and Sidewalks

Article I. Excavations, Curb Cuts and Driveways

§ 132-1. Street openings and curb cuts.

[Added 10-25-2006 by L.L. No. 3-2006⁽¹⁾]

- A. No person or persons, agent or agents, officer or officers or employee or employees, on behalf of themselves or any other person or persons, corporation or corporations or association or associations shall excavate, break, alter or disturb the grade, paving or curbing of any street, highway or public place within the Village limits, or excavate or construct any sidewalk, without first obtaining from the Building Superintendent a permit therefor, limiting the area and location and duration of such excavation, alteration or disturbance. A temporary closing of all street openings using suitable material which will permit a hardtop over the opening shall be required, the temporary closing to be maintained flush with grade for a period not to exceed six months, the date to be determined by the Village Building Superintendent. At all times while any opening in any portion of the Village property remains unclosed and unattended, such openings shall be protected by suitable barricades and, from dusk until dawn, by warning lights, all to the satisfaction of the Village Building Superintendent.
- B. On notification by the Village, full compliance with all specifications attached to the permit and replacement of the temporary closing with permanent pavement shall be required at the sole expense of the permit holder. Notwithstanding the above, all restoration of utility cuts or road openings on any Village road or street shall include curb to curb resurfacing. The road resurfacing shall include the entire road surface to the stop lines of the nearest street intersections on both sides of the patch.
- C. Specifications for restoration, closing, maintenance and paving shall be formulated by the Building Superintendent in such manner as to ensure that suitable materials are used and that the work is performed in a safe and workmanlike manner. After the excavation is complete, the permit holder shall refill the excavation and make a temporary repair within 24 hours and a permanent repair no sooner than 30 days and no later than 60 days. Specifications shall be attached to any permit issued pursuant to this article and shall set forth additional regulations and requirements for backfilling, subsurface preparation, base paving and road resurfacing. In the event the permit holder fails to make the proper repair, the Village shall make said repair, the cost of such is to be paid out of the sum on deposit, and the balance remaining unused, if any, shall be returned to the permit holder after the lapse of one year, and any deficiency shall be paid by the permit holder.
- D. Specifications shall include the following
 - (1) Resurfacing shall consist of one-inch thickness of Nassau County Type 1A top course, constructed pursuant to the New York State Department of Transportation Standard Specifications of 2002, as amended, or any specifications that shall succeed it.
 - (2) Prior to any resurfacing, milling will be required at curblines, catch basins, electric vaults and traffic magnetometers.
 - (3) All other castings and appurtenances on the affected road surfaces shall be raised and adjusted to meet the new paving grades. These shall include sanitary sewers, drainage, and electric and telephone manholes, as well as all water and gas valve box castings.
 - (4) Immediately prior to resurfacing, a tack coat shall be applied to the existing road surface pursuant to New York State Department of Transportation specifications.
 - (5) Immediately after resurfacing, all pavement markings shall be restored with thermoplastic markings conforming to New York State Department of Transportation specifications.
- E. Each application for a permit pursuant to this article shall be accompanied by the permit fee and a deposit in the form of a certified check or a satisfactory bond in such sum as shall be determined by the Board of Trustees to guarantee proper and complete restoration of the disturbed earth and pavement and that the temporary closing and permanent pavement shall be satisfactorily maintained and completed.